Serial No.: 10/519,664 Filed: February 3, 2006

Page : 2 of 10

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

- 1. (Currently amended) A cell comprising an increased amount of Bcl-x_L protein, wherein the cell does not express a heterologous cyclin-dependent kinase inhibitor, wherein the cell further comprises a first expression vector encoding a polypeptide, wherein the polypeptide is a secreted protein, and wherein the cell produces an increased amount of the polypeptide as compared to a cell that does not comprise an increased amount of the Bcl-x_L protein.
- 2. (Original) The cell of claim 1, wherein the cell is a mammalian, rodent, insect, or amphibian cell.
 - 3. (Original) The cell of claim 2, wherein the cell is a human, murine, or hamster cell.
 - 4. (Original) The cell of claim 3, wherein the cell is a hamster cell.
 - 5. (Original) The cell of claim 4, wherein the cell is a Chinese hamster ovary cell.
- 6. (Previously presented) The cell of claim 1, wherein the cell is adapted for growth in suspension.
- 7. (Previously presented) The cell of claim 1, wherein the cell is adapted for growth in a medium free of serum.

Serial No.: 10/519,664 Filed: February 3, 2006

Page : 3 of 10

8. (Original) The cell of claim 7, wherein the medium comprises butyrate.

9. (Previously presented) The cell of claim 1, wherein the Bcl-x_L protein is expressed from an expression vector introduced into the cell.

- 10. (Previously presented) The cell of claim 1, wherein the $Bcl-x_L$ protein is of a species different than that of the cell.
 - 11. (Previously presented) The cell of claim 1, wherein the Bcl-x_L protein is human.
 - 12-13. (Cancelled)
- 14. (Currently amended) The cell of claim $\underline{1}$ - $\underline{1}$, wherein the polypeptide is a light or heavy chain of an antibody.
- 15. (Original) The cell of claim 14, wherein the first expression vector encodes both the light and heavy chains of the antibody.
- 16. (Original) The cell of claim 14, wherein the cell further comprises a second expression vector encoding the light or heavy chain of the antibody, wherein the first and second expression vectors together express the antibody in the cell.
 - 17. (Cancelled)
- 18. (Currently amended) A method of producing a polypeptide, the method comprising providing a cell comprising an increased amount of Bcl-x_L protein, wherein the cell does not express a heterologous cyclin-dependent kinase inhibitor, wherein the cell further comprises a first expression vector encoding a polypeptide, and wherein the cell produces an increased

Serial No.: 10/519,664 Filed: February 3, 2006

Page : 4 of 10

amount of the polypeptide as compared to a cell that does not comprise an increased amount of the Bcl-x_L protein;

introducing into the cell a first expression vector encoding a polypeptide; and expressing the polypeptide in the cell; and isolating the polypeptide from the cell culture.

- 19. (Cancelled)
- 20. (Currently amended) The method of claim <u>18-19</u>, wherein the polypeptide is isolated from the medium of the cell culture.
- 21. (Previously presented) The method of claim 18, wherein the cell is a mammalian, rodent, insect, or amphibian cell.
- 22. (Original) The method of claim 21, wherein the cell is a human, murine, or hamster cell.
 - 23. (Original) The method of claim 22, wherein the cell is a hamster cell.
 - 24. (Original) The method of claim 23, wherein the cell is a Chinese hamster ovary cell.
- 25. (Previously presented) The method of claim 18, wherein the cell is adapted for growth in suspension.
- 26. (Previously presented) The method of claim 18, wherein the cell is adapted for growth in a medium free of serum.
 - 27. (Original) The method of claim 26, wherein the medium comprises butyrate.

Serial No.: 10/519,664 Filed: February 3, 2006

Page : 5 of 10

28. (Previously presented) The method of claim 18, wherein the Bcl- x_L protein is expressed from an expression vector introduced into the cell.

- 29. (Previously presented) The method of claim 18, wherein the Bcl-x_L protein is of a species different than that of the cell.
- 30. (Previously presented) The method of claim 18, wherein the $Bcl-x_L$ protein is human.
- 31. (Previously presented) The method of claim 18, wherein the polypeptide is a secreted protein.
- 32. (Previously presented) The method of claim 18, wherein the polypeptide is a light or heavy chain of an antibody.
- 33. (Original) The method of claim 32, wherein the first expression vector encodes both the light and heavy chains of the antibody.
- 34. (Original) The method of claim 32, further comprising introducing into the cell a second expression vector encoding a light or heavy chain of the antibody, wherein the first and second expression vector together express the antibody in the cell.